

HIGH THERMAL FLEECE BLANKET

ICRC/IFRC STANDARD

BLANKETS



KEY FEATURES

- Resistant to fire, thermal and air flow
- Minimum 4.0 TOG
- Knitted, dry raised on both sides
- 100% virgin polyester


MATERIALS

- **MATERIAL** 100% virgin polyester on dry weight as per ISO 1833 + Polyfill lining
- **TENSILE STRENGTH** Min. 250 N warp and weft as per ISO 13934-1
- **TENSILE STRENGTH LOSS** Less than 5% after washing as per ISO 6330
- **THICKNESS** Min. 9.5mm as per ISO 5084
- **SHRINKAGE** Less than 5% after wash as per ISO 6330
- **WEIGHT LOSS** Less than 5% after wash as per ISO 6330
- **TOG** Min. 0.4 RCT (=4.0 TOG)
- **RESISTANCE TO AIR FLOW** Less than 1000 L/m²/s as per ISO 9237 under 100 Pa pressure drop
- **FINISH** Whipped seam of min. 10 stitches per 10cm
- **ORGANOLEPTIC TEST** No bad smell, not irritating, no dust, PH between 4 and 9, Fit for human use and free from VOC
- **FLAME RESISTANCE** Flame proof as per ISO 12952-3&4
- **CIGARETTE RESISTANCE** Cigarette proof as per ISO 12952-1&2
- **COLOUR** Grey shade blanket

MATERIALS

- TOTAL SIZE** 1.50 x 2.00m
(Tolerance -1% +3%)
- WEIGHT** 500 - 1000gsm

DIMENSION REFERENCE



MEDIUM THERMAL FLEECE BLANKET

ICRC/IFRC STANDARD

BLANKETS

PACKING AND SHIPPING

	Without Pallets	CRI Pallets	Euro Pallets
Content	15 pcs	2 bales (30 pcs)	2 bales (40 pcs)
Dimensions	80 x 55 x 65cm +- 20%	112 x 78 x 78cm +- 20%	120 x 80 x 78cm +-20%
Weight	Min. 22.5kg	Min. 60kg	Min. 60kg
Volume	0.286m ³ +- 20%	0.681 m ³ +-20%	0.750 m ³ +-20%

ESTIMATED LOADABILITY*

Container	Without Pallets	CRI Pallets	Euro Pallets
20' DC	96 bales (1,440pcs)	42 pallets (1,260pcs)	33 pallets (990pcs)
40' DC	204 bales (3,060pcs)	90 pallets (2,700pcs)	72 pallets (2,160pcs)
40' HC	255 bales (3,825pcs)	90 pallets (2,700pcs)	72 pallets (2,160pcs)

INTERNATIONAL