




MS CRINKLE CAMO FABRIC

A newly developed camouflage fabric designed to better blend with the natural environment in a light, comfortable and durable material that can be worn against the skin for long periods.

PROPERTIES:

- Operational temperature range : 45°C à +70°C. (EN 60068-2-2 / EN 60068-2-1)
- Fire resistance (ISO 6941)
- Resistance to Petroleum Oil: No deformation
- Washing Fastness: ≤ 4/5 ISO 105 C01
- Water Fastness: ≤ 4/5 ISO 105 E01
- Rubbing Fastness (dry) : ≤ 3 ISO 105-X 12
- Tear Resistance:
Warp: 24 N Weft: 23 N (DIN EN ISO 13937-2)
- Breaking Resistance:
Warp: ≥ 288 N Weft: ≥ 282 N (DIN EN ISO 13934-1)
- Air Permeability: 2398,5 mm/s (EN ISO 9237)



PACKED: Vacuum sealed in light resistant and waterproof plastic pouch

REFLECTANCE

Spectrophotometer 800-1200 nm

- Light Green: %13- %16
- Dark Green: %11 -%14
- Brown: %8- %11
- Black: %5- %8

The properties of CRINKLE CAMO fabric mean it is perfect for sniper suits or personal camouflage cover in natural environments.

In the form of Camo screens, Crinkle Camo can protect smaller vehicles and weapons systems, as well as personnel, from detection by military reconnaissance.

- The rapid deployment multispectral camo screen is made from a lightweight single piece of rectangular shaped fabric with a camouflage pattern on both sides
- Dimensions/Weight: 3.50 x 3.50m / 185 g/m2
- The Crinkled (3D) finish blends in with the irregularities of nature.
- Multispectral: Protects in the visual, infrared and thermal spectrums.
- The screen is equipped with an integrated strong bungee type attachment system in its top section which enables the screen to be attached at both ends and suspended in front of or over the asset.
- Operational Length limit of attachment system : 4,5 m
- Camouflage pattern: Customisable
- Deployment time: 40 seconds (maximum)




BEFORE (above) and AFTER (below) screen deployment (Thermal imagery)





3D CRINKLE SNIPER SET SYSTEM (SSS)

This concealment ensemble is made from specialised lightweight material that helps the wearer blend into any environment while at the same time protecting them in the **RADAR, INFRARED** and **THERMAL** spectrums.



PONCHO

SNOOD


FABRIC FEATURES:

- Random 3D 'Crinkle' pattern blends in with nature.
- Non-snag & breathable.
- Quiet and Lightweight.
- Fire Retardant.
- Quick drying.
- OT range: -45°C to +70°C.

• **WEIGHT: 2.07kg**
Patterns, colours and sizes can be customised to suit.



COMBAT SHIRT & TROUSERS



System comprises:

- 1 x poncho (CL702)
- 1 x snood (CL704)
- 1 x combat shirt (CL703)
- 1 x combat trousers (CL705)
- 1 x stuff sack (CL706)



PONCHO SHOWN IN-SITU



STUFF SACK



MS ROCKY THERMAL COVER

- Visual Camouflage (VIS): 380nm-750nm
- Near Infra red Protection (NIR): 760nm - 1200nm
- Thermal Protection (TIR): 3-5 μ m and 8-12 μ m
- Radar Protection: 2-100 GHz



DOUBLE-SIDED FOR 2 DIFFERENT TERRAINS



MALLEABLE STRUCTURE ALLOWS USER TO MOULD IT TO ROCK-LIKE ANGLES



COMPLETE CAMOUFLAGES THE HUMAN FORM

Physical Characteristics:

- Size 2m x 3m
- Double sided: 2 terrains
- Options of different colours and patterns
- Lightweight, 400g/m²
- Low water absorption capacity
- Antibacterial
- Pack size: 30 x 50 cm

ROCKY COVER SHOWN IN THE FIELD